





Independent Cart Technology



Increase machine flexibility and throughput to enhance overall productivity













Traditional motor solutions

Mechanical line shaft

- Complex mechanical designs and constant maintenance
- Little flexibility or scope for upgrades
- Limited in speed by the wider system
- Energy wasted through friction

Electronic line shaft

- · Reduced maintenance and a degree of flexibility
- Upgrade templates along with new mechanical challenges
- Improved line speed
- Improved energy consumption

A new approach to motion control

iTRAK and MagneMotion solutions pitchless technology

Designed without mechanical constraints to:

- Minimise maintenance
- Change between products at the push of a button
- Simplify mechanical designs
- Upgrade easily by reducing complex tooling
- Operate faster with less downtime
- Reduce energy consumption through direct drive

Independent Cart Technology is the solution you're looking for if:

- Your current application uses chains, belts or gears
- Your existing designs are reaching limits of operational speed
- You are unable to combine continuous and intermittent motion
- Changeovers are frequently required
- Removing fixed spacing could improve overall performance
- You have excessive maintenance costs











CAMA Packaging





"The iTRAK provides the latest and greatest technology that can provide greater efficiency, speed and flexibility."

Billy Goodman, Managing Director, CAMA North America



ARUP Clinical Laboratory





The versatility of the track's technology has allowed us to stay within the same footprint but significantly increase our capacity for the future.

Heidi Kildeezt, Project Manager, ARUP

Unprecedented flexibility



With Independent cart technology, switching package size or collation settings can occur at the push of a button, and all

programmed with Studio 5000 Logix Designer®.

Integrated Architecture solution

iTRAK and MagneMotion is part of the Integrated Architecture® system from Rockwell Automation which helps deliver machines that are flexible for Just-In-Time manufacturing with performance levels beyond those achievable with conventional mechanical systems.

Fundamental servo control at the core

Until now, servo motors have been either rotary or linear. iTRAK combines these two concepts into a powerful motion solution which offers linear or rotary motion in one package, resulting in a whole new approach to motion control.

Faster line speeds

Our Independent cart technology's speed and acceleration is significantly higher than the traditional mechanical solutions such as chains and belts, with its programmable independent movers improving line speed further.

Reduced maintenance

iTRAK and MagneMotion has been designed to use very few moving parts. The movers are rigidly connected to the structure and durable bearings and guide rails can significantly reduce maintenance downtime.

Increased line speed and flexibility better value all round

The best value a machine builder can provide is to improve the process that their machine executes. iTRAK and MagneMotion free the machine designer from the constraints of mechanical cam design so that they can focus on the process, the programming, and game-changing innovation.









"iTRAK is revolutionary. Instead of using mechanical elements to move product through the machine, we're now using a magnetically-driven device that can adjust its geometry through software. It will forever change the way pouching is done."

Roger Calabrese, Competence Centre Manager, KHS

Faster line speed + Faster changeover = DIFFERENTIATION

Leading machine builders worldwide are designing their next generation products around iTRAK and MagneMotion. These new machines for case packing, pouching, carton filling, collating, device assembly and life science applications are best-in-class for throughput and reduced downtime. In the same way, end users who have implemented these machines report investment returns far exceeding expectations.

The benefits to manufacturers:

- Increased production rates of 50% or more
- Reduced downtime for changeovers
- Smaller machine size saves floor space
- Shorter runs can still be profitable
- Lowered periodic maintenance

The benefits to machinery suppliers:


- Market leading machine output of 50% or more
- Increased flexibility with a single design
- Added value to your customers
- Differentiated machine design
- Smaller machine and simpler mechanics

How Independent Carts work

When designing machines, the iTRAK and MagneMotion systems can be purchased as a fully customised and assembled unit, as individual components, or as a mix of customised and standard parts.

Modular, adaptable and scalable for any application

The layouts of the iTRAK and MagneMotion systems are flexible and adjustable to help achieve an optimum size machine for production requirements. The system is built of IP65-rated sections, which each contain a multi-phase motor and drive. Curved and straight sections can be combined in different combinations to create ovals, rectangles, and squares. With iTRAK the shape can also be rotated into horizontal or vertical orientations along any axis.





MagneMover LITE

Fast, controlled, flexible motion

MagneMover LITE is an intelligent and highly cost-effective conveyor system specifically designed to move light loads quickly and efficiently. MM LITE outperforms conventional belt and chain conveyors for OEM/in-machine applications and for demanding motion requirements, delivering new levels of process optimization and throughput.

Intelligent motion

 Accurate positioning (no hard stops required), bi-directional travel, smooth motion and continuous carrier tracking and reporting

Process optimization

 Simulation and configuration tools simplify system design and optimization

Complete traceability

 Know the unique ID of each carrier and where it is at all times, with complete reporting for audit trail, and with the ability to prioritize the routing of individual carriers

Flexible layouts

 System layouts can be oriented in a number of different ways

Suitable applications

 Pharmaceutical manufacturing, sterile and aseptic filling, food and beverage packaging, laboratory automation, medical device and consumer products manufacturing

Easy to clean and maintain

• IP65 wash-down capable. Few moving parts means less maintenance



Functional

- Ideal for industrial, clean, harsh, underwater and other unique environments
- Closed-loop positioning and identification (ID) tracking
- Innovative design options allow for new layouts, differing guideway solutions, cornering, switching and fewer required robot axes

Easy to use

- Modular design easily integrates with existing systems
- Easy to use control system for rapid implementation
- Easily change stop location with a simple software command

Reduced cost of ownership

- Fewer moving parts require less maintenance
- Increases productivity by decreasing carrier move time to process station
- Fewer sensors, stops, cables, connectors, and plumbing means less downtime

Flexible

- Transports and positions a wide range of loads
- Handles different payload weights simultaneously

Suitable applications

 Ideal for industrial, clean, harsh, underwater and other unique environments





Technical specifications



Product	Motor Size	Max Speed	Max Force
MagneMover LITE	1M	2m/s	10N
	.5M	2m/s	10N
	Curve	2m/s	6N
	Switch	2m/s	6N
QuickStick	1M	2.5m/s	Dependent on Magnet configuration
	.5M	2.5m/s	Dependent on Magnet configuration
QuickStick HT	1M	3m/s	2500N
	.5M	3m/s	2500N
	.5M Double Wide	3m/s	5000N

Product	Acceleration	Repeatability	Payload
MagneMover LITE	up to 0.2G	±0.5mm	up to 2kg
QuickStick	Up to 1G	±0.5mm*	2-100kg
QuickStick HT	up to 6G	±1mm	100-4500kg

^{*±0.1}mm attainable with calibration

Product	Certifications	Ingress Protection	Feedback Type
MagneMover LITE	UL, CE	IP 65	Absolute
QuickStick	UL, CE	IP 65	Absolute
QuickStick HT	UL, CE	IP 65	Absolute

Product	Feedback Resolution	Sections Length
MagneMover LITE	<10 um	N/A
QuickStick	<10 um	N/A
QuickStick HT	<10 um	N/A

iTRAK operating configurations








iTRAK Specifications Table

Motor Size	Maximum Speed	Maximum Force
50 mm	> 5 m/s	264 N
100 mm	4 m/s	529 N
150 mm	2.75 m/s	793 N

Minimum Mover Pitch	65 mm
Acceleration	> 10g
Repeatability	< 100 um
System Length	12m per Gateway
Payload	Only limited by bearings and F=ma
Certifications	UL, CE
Ingress Protection	IP65
Feedback Type	Absolute
Feedback Resolution	< 10 um
Section Length	400 mm









AB MARKET ELEKTRİK OTOMASYON SANAYİ VE DIŞ TİCARET ANONİM ŞİRKETİ

Merkez

Abdi İpekçi Caddesi No: 129/5 34040 Bayrampaşa/İstanbul T: +90 212 674 80 60 pbx F: +90 212 674 80 65

Necip Fazıl Bulvarı Keyap F1 Blok No: 90 34775 Ümraniye/İstanbul T: +90 216 540 86 00 F: +90 216 540 86 01

abmarketotomasyon.com | satis@abmarketotomasyon.com

www.magnemotion.com

Rockwell Automation, Inc. (NYSE:ROK), the world's largest company dedicated to industrial automation, makes its customers more productive and the world more sustainable. Throughout the world, our flagship Allen-Bradley® and Rockwell Software® product brands are recognized for innovation and excellence.

Follow ROKAutomation on Facebook, Twitter and Google Plus. Youtube. Connect with us on LinkedIn.











f y Q+ in Subscribe to us on

iTRAK, Integrated Architecture, Kinetix and Studio 5000 Logix Designer are trademarks of Rockwell Automation, Inc. Trademarks not belonging to Rockwell Automation are property of their respective companies.

www.rockwellautomation.com

Power, Control and Information Solutions Headquarters

Americas: Rockwell Automation, 1201 South Second Street, Milwaukee, WI 53204-2496 USA, Tel: (1) 414.382.2000, Fax: (1) 414.382.4444 Europe/Middle East/Africa: Rockwell Automation NV, Pegasus Park, De Kleetlaan 12a, 1831 Diegem, Belgium, Tel: (32) 2 663 0600, Fax: (32) 2 663 0640 Asia Pacific: Rockwell Automation, Level 14, Core F, Cyberport 3, 100 Cyberport Road, Hong Kong, Tel: (852) 2887 4788, Fax: (852) 2508 1846

MagneMotion: A Rockwell Automation Company, 139 Barnum Road, Devens, MA 01463 USA, Tel: (1) 978-757-9100, www.magnemotion.com